

A GUIDE TO THE LITERATURE

03B0

Contents

1. Short introductory articles	1
2. Classic references	1
3. Books and online notes	2
4. Related references on foundations of stacks	3
5. Papers in the literature	3
5.1. Deformation theory and algebraic stacks	4
5.2. Coarse moduli spaces	5
5.3. Intersection theory	6
5.4. Quotient stacks	7
5.5. Cohomology	9
5.6. Existence of finite covers by schemes	10
5.7. Rigidification	11
5.8. Stacky curves	11
5.9. Hilbert, Quot, Hom and branchvariety stacks	11
5.10. Toric stacks	13
5.11. Theorem on formal functions and Grothendieck's Existence Theorem	13
5.12. Group actions on stacks	14
5.13. Taking roots of line bundles	14
5.14. Other papers	14
6. Stacks in other fields	15
7. Higher stacks	15
8. Other chapters	15
References	16

1. Short introductory articles

03B1

- Barbara Fantechi: *Stacks for Everybody* [Fan01]
- Dan Edidin: *What is a stack?* [Edi03]
- Dan Edidin: *Notes on the construction of the moduli space of curves* [Edi00]
- Angelo Vistoli: *Intersection theory on algebraic stacks and on their moduli spaces*, and especially the appendix. [Vis89]

2. Classic references

03B2

- Mumford: *Picard groups of moduli problems* [Mum65]

Mumford never uses the term “stack” here but the concept is implicit in the paper; he computes the picard group of the moduli stack of elliptic curves.

- Deligne, Mumford: *The irreducibility of the space of curves of given genus* [DM69]

This influential paper introduces “algebraic stacks” in the sense which are now universally called Deligne-Mumford stacks (stacks with representable diagonal which admit étale presentations by schemes). There are many foundational results *without proof*. The paper uses stacks to give two proofs of the irreducibility of the moduli space of curves of genus g .
- Artin: *Versal deformations and algebraic stacks* [Art74]

This paper introduces “algebraic stacks” which generalize Deligne-Mumford stacks and are now commonly referred to as *Artin stacks*, stacks with representable diagonal which admit smooth presentations by schemes. This paper gives deformation-theoretic criterion known as Artin’s criterion which allows one to prove that a given moduli stack is an Artin stack without explicitly exhibiting a presentation.

3. Books and online notes

03B3

- Laumon, Moret-Bailly: *Champs Algébriques* [LMB00]

This book is currently the most exhaustive reference on stacks containing many foundational results. It assumes the reader is familiar with algebraic spaces and frequently references Knutson’s book [Knu71]. There is an error in chapter 12 concerning the functoriality of the lisse-étale site of an algebraic stack. One doesn’t need to worry about this as the error has been patched by Martin Olsson (see [Ols07b]) and the results in the remaining chapters (after perhaps slight modification) are correct.
- The Stacks Project Authors: *Stacks Project* [Aut].

You are reading it!
- Anton Geraschenko: *Lecture notes for Martin Olsson’s class on stacks* [Ols07a]

This course systematically develops the theory of algebraic spaces before introducing algebraic stacks (first defined in Lecture 27!). In addition to basic properties, the course covers the equivalence between being Deligne-Mumford and having unramified diagonal, the lisse-étale site on an Artin stack, the theory of quasi-coherent sheaves, the Keel-Mori theorem, cohomological descent, and gerbes (and their relation to the Brauer group). There are also some exercises.
- Behrend, Conrad, Edidin, Fantechi, Fulton, Göttsche, and Kresch: *Algebraic stacks*, online notes for a book being currently written [BCE⁺07]

The aim of this book is to give a friendly introduction to stacks without assuming a sophisticated background with a focus on examples and applications. Unlike [LMB00], it is not assumed that

the reader has digested the theory of algebraic spaces. Instead, Deligne-Mumford stacks are introduced with algebraic spaces being a special case with part of the goal being to develop enough theory to prove the assertions in [DM69]. The general theory of Artin stacks is to be developed in the second part. Only a fraction of the book is now available on Kresch's website.

- Olsson, Martin: *Algebraic spaces and stacks*, [Ols16]
Highly recommended introduction to algebraic spaces and algebraic stacks starting at the level of somebody who has mastered Hartshorne's book on algebraic geometry.

4. Related references on foundations of stacks

03B4

- Vistoli: *Notes on Grothendieck topologies, fibered categories and descent theory* [Vis05]
Contains useful facts on fibered categories, stacks and descent theory in the fpqc topology as well as rigorous proofs.
- Knutson: *Algebraic Spaces* [Knu71]
This book, which evolved from his PhD thesis under Michael Artin, contains the foundations of the theory of algebraic spaces. The book [LMB00] frequently references this text. See also Artin's papers on algebraic spaces: [Art69a], [Art69b], [Art69c], [Art70], [Art71b], [Art71a], [Art73], and [Art74]
- Grothendieck et al, *Théorie des Topos et Cohomologie Étale des Schémas I, II, III* also known as SGA4 [AGV71]
Volume 1 contains many general facts on universes, sites and fibered categories. The word "champ" (French for "stack") appears in Deligne's Exposé XVIII.
- Jean Giraud: *Cohomologie non abélienne* [Gir65]
The book discusses fibered categories, stacks, torsors and gerbes over general sites but does not discuss algebraic stacks. For instance, if G is a sheaf of abelian groups on X , then in the same way $H^1(X, G)$ can be identified with G -torsors, $H^2(X, G)$ can be identified with an appropriately defined set of G -gerbes. When G is not abelian, then $H^2(X, G)$ is defined as the set of G -gerbes.
- Kelly and Street: *Review of the elements of 2-categories* [KS74]
The category of stacks form a 2-category although a simple type of 2-category where are 2-morphisms are invertible. This is a reference on general 2-categories. I have never used this so I cannot say how useful it is. Also note that [Aut] contains some basics on 2-categories.

5. Papers in the literature

03B6 Below is a list of research papers which contain fundamental results on stacks and algebraic spaces. The intention of the summaries is to indicate only the results of the paper which contribute toward stack theory; in many cases these results are subsidiary to the main goals of the paper. We divide the papers into categories with some papers falling into multiple categories.

04UW **5.1. Deformation theory and algebraic stacks.** The first three papers by Artin do not contain anything on stacks but they contain powerful results with the first two papers being essential for [Art74].

- Artin: *Algebraic approximation of structures over complete local rings* [Art69a]
It is proved that under mild hypotheses any effective formal deformation can be approximated: if $F : (Sch/S) \rightarrow (Sets)$ is a contravariant functor locally of finite presentation with S finite type over a field or excellent DVR, $s \in S$, and $\hat{\xi} \in F(\hat{\mathcal{O}}_{S,s})$ is an effective formal deformation, then for any $n > 0$, there exists an residually trivial étale neighborhood $(S', s') \rightarrow (S, s)$ and $\xi' \in F(S')$ such that ξ' and $\hat{\xi}$ agree up to order n (ie. have the same restriction in $F(\mathcal{O}_{S,s}/\mathfrak{m}^n)$).
- Artin: *Algebraization of formal moduli I* [Art69b]
It is proved that under mild hypotheses any effective formal versal deformation is algebraizable. Let $F : (Sch/S) \rightarrow (Sets)$ be a contravariant functor locally of finite presentation with S finite type over a field or excellent DVR, $s \in S$ be a locally closed point, \hat{A} be a complete noetherian local \mathcal{O}_S -algebra with residue field k' a finite extension of $k(s)$, and $\hat{\xi} \in F(\hat{A})$ be an effective formal versal deformation of an element $\xi_0 \in F(k')$. Then there is a scheme X finite type over S and a closed point $x \in X$ with residue field $k(x) = k'$ and an element $\xi \in F(X)$ such that there is an isomorphism $\hat{\mathcal{O}}_{X,x} \cong \hat{A}$ identifying the restrictions of ξ and $\hat{\xi}$ in each $F(\hat{A}/\mathfrak{m}^n)$. The algebraization is unique if $\hat{\xi}$ is a universal deformation. Applications are given to the representability of the Hilbert and Picard schemes.
- Artin: *Algebraization of formal moduli. II* [Art70]
Vaguely, it is shown that if one can contract a closed subset $Y' \subset X'$ formally locally around Y' , then exists a global morphism $X' \rightarrow X$ contracting Y' with X an algebraic space.
- Artin: *Versal deformations and algebraic stacks* [Art74]
This momentous paper builds on his work in [Art69a] and [Art69b]. This paper introduces Artin's criterion which allows one to prove algebraicity of a stack by verifying deformation-theoretic properties. More precisely (but not very precisely), Artin constructs a presentation of a limit preserving stack \mathcal{X} locally around a point $x \in \mathcal{X}(k)$ as follows: assuming the stack \mathcal{X} satisfies Schlessinger's criterion ([Sch68]), there exists a formal versal deformation $\hat{\xi} \in \lim \mathcal{X}(\hat{A}/\mathfrak{m}^n)$ of x . Assuming that formal deformations are effective (i.e., $\mathcal{X}(\hat{A}) \rightarrow \lim \mathcal{X}(\hat{A}/\mathfrak{m}^n)$ is bijective), then one obtains an effective formal versal deformation $\xi \in \mathcal{X}(\hat{A})$. Using results in [Art69b], one produces a finite type scheme U and an element $\xi_U : U \rightarrow \mathcal{X}$ which is formally versal at a point $u \in U$ over x . Then if we assume \mathcal{X} admits a deformation and obstruction theory satisfying certain conditions (ie. compatibility with étale localization and completion as well as constructibility condition),

then it is shown in section 4 that formal versality is an open condition so that after shrinking U , $U \rightarrow \mathcal{X}$ is smooth. Artin also presents a proof that any stack admitting an fppf presentation by a scheme admits a smooth presentation by a scheme so that in particular one can form quotient stacks by flat, separated, finitely presented group schemes.

- Conrad, de Jong: *Approximation of Versal Deformations* [CdJ02]
This paper offers an approach to Artin’s algebraization result by applying Popescu’s powerful result: if A is a noetherian ring and B a noetherian A -algebra, then the map $A \rightarrow B$ is a regular morphism if and only if B is a direct limit of smooth A -algebras. It is not hard to see that Popescu’s result implies Artin’s approximation over an arbitrary excellent scheme (the excellence hypothesis implies that for a local ring A , the map $A^h \rightarrow \hat{A}$ from the henselization to the completion is regular). The paper uses Popescu’s result to give a “groupoid” generalization of the main theorem in [Art69b] which is valid over arbitrary excellent base schemes and for arbitrary points $s \in S$. In particular, the results in [Art74] hold under an arbitrary excellent base. They discuss the étale-local uniqueness of the algebraization and whether the automorphism group of the object acts naturally on the henselization of the algebraization.
- Jason Starr: *Artin’s axioms, composition, and moduli spaces* [Sta06]
The paper establishes that Artin’s axioms for algebraization are compatible with the composition of 1-morphisms.
- Martin Olsson: *Deformation theory of representable morphism of algebraic stacks* [Ols06a]
This generalizes standard deformation theory results for morphisms of schemes to representable morphisms of algebraic stacks in terms of the cotangent complex. These results cannot be viewed as consequences of Illusie’s general theory as the cotangent complex of a representable morphism $X \rightarrow \mathcal{X}$ is not defined in terms of cotangent complex of a morphism of ringed topoi (because the lisse-étale site is not functorial).

04UX **5.2. Coarse moduli spaces.** Papers discussing coarse moduli spaces.

- Keel, Mori: *Quotients in Groupoids* [KM97]
It had apparently long been “folklore” that separated Deligne-Mumford stacks admitted coarse moduli spaces. A rigorous (although terse) proof of the following theorem is presented here: if \mathcal{X} is an Artin stack locally of finite type over a noetherian base scheme such that the inertia stack $I_{\mathcal{X}} \rightarrow \mathcal{X}$ is finite, then there exists a coarse moduli space $\phi : \mathcal{X} \rightarrow Y$ with ϕ separated and Y an algebraic space locally of finite type over S . The hypothesis that the inertia is finite is precisely the right condition: there exists a coarse moduli space $\phi : \mathcal{X} \rightarrow Y$ with ϕ separated if and only if the inertia is finite.
- Conrad: *The Keel-Mori Theorem via Stacks* [Con05b]

Keel and Mori's paper [KM97] is written in the groupoid language and some find it challenging to grasp. Brian Conrad presents a stack-theoretic version of the proof which is quite transparent although it uses the sophisticated language of stacks. Conrad also removes the noetherian hypothesis.

- Rydh: *Existence of quotients by finite groups and coarse moduli spaces* [Ryd07]

Rydh removes the hypothesis from [KM97] and [Con05b] that \mathcal{X} be finitely presented over some base.

- Abramovich, Olsson, Vistoli: *Tame stacks in positive characteristic* [AOV08]

They define a *tame Artin stack* as an Artin stack with finite inertia such that if $\phi : \mathcal{X} \rightarrow Y$ is the coarse moduli space, ϕ_* is exact on quasi-coherent sheaves. They prove that for an Artin stack with finite inertia, the following are equivalent: \mathcal{X} is tame if and only if the stabilizers of \mathcal{X} are linearly reductive if and only if \mathcal{X} is étale locally on the coarse moduli space a quotient of an affine scheme by a linearly reductive group scheme. For a tame Artin stack, the coarse moduli space is particularly nice. For instance, the coarse moduli space commutes with arbitrary base change while a general coarse moduli space for an Artin stack with finite inertia will only commute with flat base change.

- Alper: *Good moduli spaces for Artin stacks* [Alp08]

For general Artin stacks with infinite affine stabilizer groups (which are necessarily non-separated), coarse moduli spaces often do not exist. The simplest example is $[\mathbf{A}^1/\mathbf{G}_m]$. It is defined here that a quasi-compact morphism $\phi : \mathcal{X} \rightarrow Y$ is a *good moduli space* if $\mathcal{O}_Y \rightarrow \phi_*\mathcal{O}_{\mathcal{X}}$ is an isomorphism and ϕ_* is exact on quasi-coherent sheaves. This notion generalizes a tame Artin stack in [AOV08] as well as encapsulates Mumford's geometric invariant theory: if G is a reductive group acting linearly on $X \subset \mathbf{P}^n$, then the morphism from the quotient stack of the semi-stable locus to the GIT quotient $[X^{ss}/G] \rightarrow X//G$ is a good moduli space. The notion of a good moduli space has many nice geometric properties: (1) ϕ is surjective, universally closed, and universally submersive, (2) ϕ identifies points in Y with points in \mathcal{X} up to closure equivalence, (3) ϕ is universal for maps to algebraic spaces, (4) good moduli spaces are stable under arbitrary base change, and (5) a vector bundle on an Artin stack descends to the good moduli space if and only if the representations are trivial at closed points.

04UY **5.3. Intersection theory.** Papers discussing intersection theory on algebraic stacks.

- Vistoli: *Intersection theory on algebraic stacks and on their moduli spaces* [Vis89]

This paper develops the foundations for intersection theory with rational coefficients for Deligne-Mumford stacks. If \mathcal{X} is a separated Deligne-Mumford stack, the chow group $A_*(\mathcal{X})$ with rational coefficients is defined as the free abelian group of integral closed substacks of dimension k up to rational equivalence. There is a flat pullback, a proper push-forward and a generalized Gysin

homomorphism for regular local embeddings. If $\phi : \mathcal{X} \rightarrow Y$ is a moduli space (ie. a proper morphism which is bijective on geometric points), there is an induced push-forward $A_*(\mathcal{X}) \rightarrow A_*(Y)$ which is an isomorphism.

- Edidin, Graham: *Equivariant Intersection Theory* [EG98]
The purpose of this article is to develop intersection theory with integral coefficients for a quotient stack $[X/G]$ of an action of an algebraic group G on an algebraic space X or, in other words, to develop a G -equivariant intersection theory of X . Equivariant Chow groups defined using only invariant cycles does not produce a theory with nice properties. Instead, generalizing Totaro's definition in the case of BG and motivated by the fact that if $V \rightarrow X$ is a vector bundle then $A_i(X) \cong A_i(V)$ naturally, the authors define $A_i^G(X)$ as follows: Let $\dim(X) = n$ and $\dim(G) = g$. For each i , choose a l -dimensional G -representation V where G acts freely on an open subset $U \subset V$ whose complement has codimension $d > n - i$. So $X_G = [X \times U/G]$ is an algebraic space (it can even be chosen to be a scheme). Then they define $A_i^G(X) = A_{i+l-g}(X_G)$. For the quotient stack, one defines $A_i([X/G]) := A_{i+g}^G(X) = A_{i+l}(X_G)$. In particular, $A_i([X/G]) = 0$ for $i > \dim[X/G] = n - g$ but can be non-zero for $i \ll 0$ (eg. $A_i(B\mathbf{G}_m) = \mathbf{Z}$ for $i \leq 0$). They establish that these equivariant Chow groups enjoy the same functorial properties as ordinary Chow groups. Furthermore, they establish that if $[X/G] \cong [Y/H]$ then $A_i([X/G]) = A_i([Y/H])$ so that the definition is independent of how the stack is presented as a quotient stack.
- Kresch: *Cycle Groups for Artin Stacks* [Kre99]
Kresch defines Chow groups for arbitrary Artin stacks agreeing with Edidin and Graham's definition in [EG98] in the case of quotient stack. For algebraic stacks with affine stabilizer groups, the theory satisfies the usual properties.
- Behrend and Fantechi: *The intrinsic normal cone* [BF97]
Generalizing a construction due to Li and Tian, Behrend and Fantechi construct a virtual fundamental class for a Deligne-Mumford stack.

04UZ **5.4. Quotient stacks.** Quotient stacks¹ form a very important subclass of Artin stacks which include almost all moduli stacks studied by algebraic geometers. The geometry of a quotient stack $[X/G]$ is the G -equivariant geometry of X . It is often easier to show properties are true for quotient stacks and some results are only known to be true for quotient stacks. The following papers address: When is an algebraic stack a global quotient stack? Is an algebraic stack "locally" a quotient stack?

- Laumon, Moret-Bailly: [LMB00, Chapter 6]
Chapter 6 contains several facts about the local and global structure of algebraic stacks. It is proved that an algebraic stack \mathcal{X}

¹In the literature, *quotient stack* often means a stack of the form $[X/G]$ with X an algebraic space and G a subgroup scheme of GL_n rather than an arbitrary flat group scheme.

over S is a quotient stack $[Y/G]$ with Y an algebraic space (resp. scheme, resp. affine scheme) and G a finite group if and only if there exists an algebraic space (resp. scheme, resp. affine scheme) Y' and an finite étale morphism $Y' \rightarrow \mathcal{X}$. It is shown that any Deligne-Mumford stack over S and $x : \text{Spec}(K) \rightarrow \mathcal{X}$ admits an representable, étale and separated morphism $\phi : [X/G] \rightarrow \mathcal{X}$ where G is a finite group acting on an affine scheme over S such that $\text{Spec}(K) = [X/G] \times_{\mathcal{X}} \text{Spec}(K)$. The existence of presentations with geometrically connected fibers is also discussed in detail.

- Edidin, Hassett, Kresch, Vistoli: *Brauer Groups and Quotient stacks* [EHKV01]

First, they establish some fundamental (although not very difficult) facts concerning when a given algebraic stack (always assumed finite type over a noetherian scheme in this paper) is a quotient stack. For an algebraic stack \mathcal{X} is a quotient stack if and only if there exists a vector bundle $V \rightarrow \mathcal{X}$ such that for every geometric point, the stabilizer acts faithfully on the fiber if and only if there exists a vector bundle $V \rightarrow \mathcal{X}$ and a locally closed substack $V^0 \subset V$ such that V^0 is representable and surjects onto F . They establish that an algebraic stack is a quotient stack if there exists finite flat cover by an algebraic space. Any smooth Deligne-Mumford stack with generically trivial stabilizer is a quotient stack. They show that a \mathbf{G}_m -gerbe over a noetherian scheme X corresponding to $\beta \in H^2(X, \mathbf{G}_m)$ is a quotient stack if and only if β is in the image of the Brauer map $\text{Br}(X) \rightarrow \text{Br}'(X)$. They use this to produce a non-separated Deligne-Mumford stack that is not a quotient stack.

- Totaro: *The resolution property for schemes and stacks* [Tot04]

A stack has the resolution property if every coherent sheaf is the quotient of a vector bundle. The first main theorem is that if \mathcal{X} is a normal noetherian algebraic stack with affine stabilizer groups at closed points, then the following are equivalent: (1) \mathcal{X} has the resolution property and (2) $\mathcal{X} = [Y/\text{GL}_n]$ with Y quasi-affine. In the case \mathcal{X} is finite type over a field, then (1) and (2) are equivalent to: (3) $\mathcal{X} = [\text{Spec}(A)/G]$ with G an affine group scheme finite type over k . The implication that quotient stacks have the resolution property was proven by Thomason. The second main theorem is that if \mathcal{X} is a smooth Deligne-Mumford stack over a field which has a finite and generically trivial stabilizer group $I_{\mathcal{X}} \rightarrow \mathcal{X}$ and whose coarse moduli space is a scheme with affine diagonal, then \mathcal{X} has the resolution property. Another cool result states that if \mathcal{X} is a noetherian algebraic stack satisfying the resolution property, then \mathcal{X} has affine diagonal if and only if the closed points have affine stabilizer.

- Kresch: *On the Geometry of Deligne-Mumford Stacks* [Kre09]

This article summarizes general structure results of Deligne-Mumford stacks (of finite type over a field) and contains some interesting results concerning quotient stacks. It is shown that any smooth,

separated, generically tame Deligne-Mumford stack with quasi-projective coarse moduli space is a quotient stack $[Y/G]$ with Y quasi-projective and G an algebraic group. If \mathcal{X} is a Deligne-Mumford stack whose coarse moduli space is a scheme, then \mathcal{X} is Zariski-locally a quotient stack if and only if it admits a Zariski-open covering by stack quotients of schemes by finite groups. If \mathcal{X} is a Deligne-Mumford stack proper over a field of characteristic 0 with coarse moduli space Y , then: Y is projective and \mathcal{X} is a quotient stack if and only if Y is projective and \mathcal{X} possesses a generating sheaf if and only if \mathcal{X} admits a closed embedding into a smooth proper DM stack with projective coarse moduli space. This motivates a definition that a Deligne-Mumford stack is *projective* if there exists a closed embedding into a smooth, proper Deligne-Mumford stack with projective coarse moduli space.

- Kresch, Vistoli: *On coverings of Deligne-Mumford stacks and surjectivity of the Brauer map* [KV04]

It is shown that in characteristic 0 and for a fixed n , the following two statements are equivalent: (1) every smooth Deligne-Mumford stack of dimension n is a quotient stack and (2) the Azumaya Brauer group coincides with the cohomological Brauer group for smooth schemes of dimension n .

- Kresch: *Cycle Groups for Artin Stacks* [Kre99]

It is shown that a reduced Artin stack finite type over a field with affine stabilizer groups admits a stratification by quotient stacks.

- Abramovich-Vistoli: *Compactifying the space of stable maps* [AV02]

Lemma 2.2.3 establishes that for any separated Deligne-Mumford stack is étale-locally on the coarse moduli space a quotient stack $[U/G]$ where U affine and G a finite group. [Ols06b, Theorem 2.12] shows in this argument G is even the stabilizer group.

- Abramovich, Olsson, Vistoli: *Tame stacks in positive characteristic* [AOV08]

This paper shows that a tame Artin stack is étale locally on the coarse moduli space a quotient stack of an affine by the stabilizer group.

- Alper: *On the local quotient structure of Artin stacks* [Alp10]

It is conjectured that for an Artin stack \mathcal{X} and a closed point $x \in \mathcal{X}$ with linearly reductive stabilizer, then there is an étale morphism $[V/G_x] \rightarrow \mathcal{X}$ with V an algebraic space. Some evidence for this conjecture is given. A simple deformation theory argument (based on ideas in [AOV08]) shows that it is true formally locally. A stack-theoretic proof of Luna's étale slice theorem is presented proving that for stacks $\mathcal{X} = [\mathrm{Spec}(A)/G]$ with G linearly reductive, then étale locally on the GIT quotient $\mathrm{Spec}(A^G)$, \mathcal{X} is a quotient stack by the stabilizer.

04V0 **5.5. Cohomology.** Papers discussing cohomology of sheaves on algebraic stacks.

- Olsson: *Sheaves on Artin stacks* [Ols07b]

This paper develops the theory of quasi-coherent and constructible sheaves proving basic cohomological properties. This paper corrects a mistake in [LMB00] in the functoriality of the lisse-étale

site. The cotangent complex is constructed. In addition, the following theorems are proved: Grothendieck's Fundamental Theorem for proper morphisms, Grothendieck's Existence Theorem, Zariski's Connectedness Theorem and finiteness theorem for proper pushforwards of coherent and constructible sheaves.

- Behrend: *Derived l -adic categories for algebraic stacks* [Beh03]
Proves the Lefschetz trace formula for algebraic stacks.
- Behrend: *Cohomology of stacks* [Beh04]
Defines the de Rham cohomology for differentiable stacks and singular cohomology for topological stacks.
- Faltings: *Finiteness of coherent cohomology for proper fppf stacks* [Fal03]
Proves coherence for direct images of coherent sheaves for proper morphisms.
- Abramovich, Corti, Vistoli: *Twisted bundles and admissible covers* [ACV03]
The appendix contains the proper base change theorem for étale cohomology for tame Deligne-Mumford stacks.

04V1 **5.6. Existence of finite covers by schemes.** The existence of finite covers of Deligne-Mumford stacks by schemes is an important result. In intersection theory on Deligne-Mumford stacks, it is an essential ingredient in defining proper push-forward for non-representable morphisms. There are several results about $\overline{\mathcal{M}}_g$ relying on the existence of a finite cover by a *smooth* scheme which was proven by Looijenga. Perhaps the first result in this direction is [Ses72, Theorem 6.1] which treats the equivariant setting.

- Vistoli: *Intersection theory on algebraic stacks and on their moduli spaces* [Vis89]
If \mathcal{X} is a Deligne-Mumford stack with a moduli space (ie. a proper morphism which is bijective on geometric points), then there exists a finite morphism $X \rightarrow \mathcal{X}$ from a scheme X .
- Laumon, Moret-Bailly: [LMB00, Chapter 16]
As an application of Zariski's main theorem, Theorem 16.6 establishes: if \mathcal{X} is a Deligne-Mumford stack finite type over a noetherian scheme, then there exists a finite, surjective, generically étale morphism $Z \rightarrow \mathcal{X}$ with Z a scheme. It is also shown in Corollary 16.6.2 that any noetherian normal algebraic space is isomorphic to the algebraic space quotient X'/G for a finite group G acting a normal scheme X .
- Edidin, Hassett, Kresch, Vistoli: *Brauer Groups and Quotient stacks* [EHKV01]
Theorem 2.7 states: if \mathcal{X} is an algebraic stack of finite type over a noetherian ground scheme S , then the diagonal $\mathcal{X} \rightarrow \mathcal{X} \times_S \mathcal{X}$ is quasi-finite if and only if there exists a finite surjective morphism $X \rightarrow F$ from a scheme X .
- Kresch, Vistoli: *On coverings of Deligne-Mumford stacks and surjectivity of the Brauer map* [KV04]
It is proved here that any smooth, separated Deligne-Mumford stack finite type over a field with quasi-projective coarse moduli space admits a finite, flat cover by a smooth quasi-projective scheme.
- Olsson: *On proper coverings of Artin stacks* [Ols05]

Proves that if \mathcal{X} is an Artin stack separated and finite type over S , then there exists a proper surjective morphism $X \rightarrow \mathcal{X}$ from a scheme X quasi-projective over S . As an application, Olsson proves coherence and constructibility of direct image sheaves under proper morphisms. As an application, he proves Grothendieck's existence theorem for proper Artin stacks.

04V2 **5.7. Rigidification.** Rigidification is a process for removing a flat subgroup from the inertia. For example, if X is a projective variety, the morphism from the Picard stack to the Picard scheme is a rigidification of the group of automorphism \mathbf{G}_m .

- Abramovich, Corti, Vistoli: *Twisted bundles and admissible covers* [ACV03]
Let \mathcal{X} be an algebraic stack over S and H be a flat, finitely presented separated group scheme over S . Assume that for every object $\xi \in \mathcal{X}(T)$ there is an embedding $H(S) \hookrightarrow \text{Aut}_{\mathcal{X}(T)}(\xi)$ which is compatible under pullbacks in the sense that for every arrow $\phi : \xi \rightarrow \xi'$ over $f : T \rightarrow T'$ and $g \in H(T)$, $g \circ \phi = \phi \circ f^*g$. Then there exists an algebraic stack \mathcal{X}/H and a morphism $\rho : \mathcal{X} \rightarrow \mathcal{X}/H$ which is an fppf gerbe such that for every $\xi \in \mathcal{X}(T)$, the morphism $\text{Aut}_{\mathcal{X}(T)}(\xi) \rightarrow \text{Aut}_{\mathcal{X}/H(T)}(\xi)$ is surjective with kernel $H(T)$.
- Romagny: *Group actions on stacks and applications* [Rom05]
Discusses how group actions behave with respect to rigidifications.
- Abramovich, Graber, Vistoli: *Gromov-Witten theory for Deligne-Mumford stacks* [AGV08]
The appendix gives a summary of rigidification as in [ACV03] with two alternative interpretations. This paper also contains constructions for gluing algebraic stacks along closed substacks and for taking roots of line bundles.
- Abramovich, Olsson, Vistoli: *Tame stacks in positive characteristic* ([AOV08])
The appendix handles the more complicated situation where the flat subgroup stack of the inertia $H \subset I_{\mathcal{X}}$ is normal but not necessarily central.

04V3 **5.8. Stacky curves.** Papers discussing stacky curves.

- Abramovich, Vistoli: *Compactifying the space of stable maps* [AV02]
This paper introduces *twisted curves*. The moduli space of stable maps from stable curves into an algebraic stack is typically not compact. By using maps from twisted curves, the authors construct a moduli stack which is proper when the target is a tame Deligne-Mumford stack whose coarse moduli space is projective.
- Behrend, Noohi: *Uniformization of Deligne-Mumford curves* [BN06]
Proves a uniformization theorem of Deligne-Mumford analytic curves.

04V4 **5.9. Hilbert, Quot, Hom and branchvariety stacks.** Papers discussing Hilbert schemes and the like.

- Vistoli: *The Hilbert stack and the theory of moduli of families* [Vis91]
If \mathcal{X} is a algebraic stack separated and locally of finite type over a locally noetherian and locally separated algebraic space S , Vistoli

defines the Hilbert stack $\mathcal{Hilb}(\mathcal{F}/S)$ parameterizing finite and unramified morphisms from proper schemes. It is claimed without proof that $\mathcal{Hilb}(\mathcal{F}/S)$ is an algebraic stack. As a consequence, it is proved that with \mathcal{X} as above, the Hom stack $\mathcal{H}om_S(T, \mathcal{X})$ is an algebraic stack if T is proper and flat over S .

- Olsson, Starr: *Quot functors for Deligne-Mumford stacks* [OS03]
If \mathcal{X} is a Deligne-Mumford stack separated and locally of finite presentation over an algebraic space S and \mathcal{F} is a locally finitely-presented $\mathcal{O}_{\mathcal{X}}$ -module, the quot functor $\text{Quot}(\mathcal{F}/\mathcal{X}/S)$ is represented by an algebraic space separated and locally of finite presentation over S . This paper also defines generating sheaves and proves existence of a generating sheaf for tame, separated Deligne-Mumford stacks which are global quotient stacks of a scheme by a finite group.
- Olsson: *Hom-stacks and Restrictions of Scalars* [Ols06b]
Suppose \mathcal{X} and \mathcal{Y} are Artin stacks locally of finite presentation over an algebraic space S with finite diagonal with \mathcal{X} proper and flat over S such that fppf-locally on S , \mathcal{X} admits a finite finitely presented flat cover by an algebraic space (eg. \mathcal{X} is Deligne-Mumford or a tame Artin stack). Then $\text{Hom}_S(\mathcal{X}, \mathcal{Y})$ is an Artin stack locally of finite presentation over S .
- Alexeev and Knutson: *Complete moduli spaces of branchvarieties* ([AK10])
They define a branchvariety of \mathbf{P}^n as a finite morphism $X \rightarrow \mathbf{P}^n$ from a *reduced* scheme X . They prove that the moduli stack of branchvarieties with fixed Hilbert polynomial and total degrees of i -dimensional components is a proper Artin stack with finite stabilizer. They compare the stack of branchvarieties with the Hilbert scheme, Chow scheme and moduli space of stable maps.
- Lieblich: *Remarks on the stack of coherent algebras* [Lie06]
This paper constructs a generalization of Alexeev and Knutson's stack of branch-varieties over a scheme Y by building the stack as a stack of algebras over the structure sheaf of Y . Existence proofs of Quot and Hom spaces are given.
- Starr: *Artin's axioms, composition, and moduli spaces* [Sta06]
As an application of the main result, a common generalization of Vistoli's Hilbert stack [Vis91] and Alexeev and Knutson's stack of branchvarieties [AK10] is provided. If \mathcal{X} is an algebraic stack locally of finite type over an excellent scheme S with finite diagonal, then the stack \mathcal{H} parameterizing morphisms $g : T \rightarrow \mathcal{X}$ from a proper algebraic space T with a G -ample line bundle L is an Artin stack locally of finite type over S .
- Lundkvist and Skjeldnes: *Non-effective deformations of Grothendieck's Hilbert functor* [LS08]
Shows that the Hilbert functor of a non-separated scheme is not represented since there are non-effective deformations.
- Halpern-Leistner and Preygel: *Mapping stacks and categorical notions of properness* [HLP14]

This paper gives a proof that the Hom stack is algebraic under some hypotheses on source and target which are more general than, or at least different from, the ones in Olsson’s paper.

04V5 **5.10. Toric stacks.** Toric stacks provide a great class of examples and a natural testing ground for conjectures due to the dictionary between the geometry of a toric stack and the combinatorics of its stacky fan in a similar way that toric varieties provide examples and counterexamples in scheme theory.

- Borisov, Chen and Smith: *The orbifold Chow ring of toric Deligne-Mumford stacks* [BCS05]
Inspired by Cox’s construction for toric varieties, this paper defines smooth toric DM stacks as explicit quotient stacks associated to a combinatorial object called a *stacky fan*.
- Iwanari: *The category of toric stacks* [Iwa09]
This paper defines a *toric triple* as a smooth Deligne-Mumford stack \mathcal{X} with an open immersion $\mathbf{G}_m \hookrightarrow \mathcal{X}$ with dense image (and therefore \mathcal{X} is an orbifold) and an action $\mathcal{X} \times \mathbf{G}_m \rightarrow \mathcal{X}$. It is shown that there is an equivalence between the 2-category of toric triples and the 1-category of stacky fans. The relationship between toric triples and the definition of smooth toric DM stacks in [BCS05] is discussed.
- Iwanari: *Integral Chow rings for toric stacks* [Iwa07]
Generalizes Cox’s Δ -collections for toric varieties to toric orbifolds.
- Perroni: *A note on toric Deligne-Mumford stacks* [Per08]
Generalizes Cox’s Δ -collections and Iwanari’s paper [Iwa07] to general smooth toric DM stacks.
- Fantechi, Mann, and Nironi: *Smooth toric DM stacks* [FMN07]
This paper defines a smooth toric DM stack as a smooth DM stack \mathcal{X} with the action of a DM torus \mathcal{T} (ie. a Picard stack isomorphic to $T \times BG$ with G finite) having an open dense orbit isomorphic to \mathcal{T} . They give a “bottom-up description” and prove an equivalence between smooth toric DM stacks and stacky fans.
- Geraschenko and Satriano: *Toric Stacks I and II* [GS11a] and [GS11b]
These papers define a toric stack as the stack quotient of a toric variety by a subgroup of its torus. A generically stacky toric stack is defined as a torus invariant substack of a toric stack. This definition encompasses and extends previous definitions of toric stacks. The first paper develops a dictionary between the combinatorics of stacky fans and the geometry of the corresponding stacks. It also gives a moduli interpretation of smooth toric stacks, generalizing the one in [Per08]. The second paper proves an intrinsic characterization of toric stacks.

04V6 **5.11. Theorem on formal functions and Grothendieck’s Existence Theorem.** These papers give generalizations of the theorem on formal functions [DG67, III.4.1.5] (sometimes referred to Grothendieck’s Fundamental Theorem for proper morphisms) and Grothendieck’s Existence Theorem [DG67, III.5.1.4].

- Knutson: *Algebraic spaces* [Knu71, Chapter V]

Generalizes these theorems to algebraic spaces.

- Abramovich-Vistoli: *Compactifying the space of stable maps* [AV02, A.1.1]
Generalizes these theorems to tame Deligne-Mumford stacks
- Olsson and Starr: *Quot functors for Deligne-Mumford stacks* [OS03]
Generalizes these theorems to separated Deligne-Mumford stacks.
- Olsson: *On proper coverings of Artin stacks* [Ols05]
Provides a generalization to proper Artin stacks.
- Conrad: *Formal GAGA on Artin stacks* [Con05a]
Provides a generalization to proper Artin stacks and proves a formal GAGA theorem.
- Olsson: *Sheaves on Artin stacks* [Ols07b]
Provides another proof for the generalization to proper Artin stacks.

04V7 **5.12. Group actions on stacks.** Actions of groups on algebraic stacks naturally appear. For instance, symmetric group S_n acts on $\overline{\mathcal{M}}_{g,n}$ and for an action of a group G on a scheme X , the normalizer of G in $\text{Aut}(X)$ acts on $[X/G]$. Furthermore, torus actions on stacks often appear in Gromov-Witten theory.

- Romagny: *Group actions on stacks and applications* [Rom05]
This paper makes precise what it means for a group to act on an algebraic stack and proves existence of fixed points as well as existence of quotients for actions of group schemes on algebraic stacks. See also Romagny's earlier note [Rom03].

04V8 **5.13. Taking roots of line bundles.** This useful construction was discovered independently by Cadman and by Abramovich, Graber and Vistoli. Given a scheme X with an effective Cartier divisor D , the r th root stack is an Artin stack branched over X at D with a μ_r stabilizer over D and scheme-like away from D .

- Charles Cadman *Using Stacks to Impose Tangency Conditions on Curves* [Cad07]
- Abramovich, Graber, Vistoli: *Gromov-Witten theory for Deligne-Mumford stacks* [AGV08]

04V9 **5.14. Other papers.** Potpourri of other papers.

- Lieblich: *Moduli of twisted sheaves* [Lie07]
This paper contains a summary of gerbes and twisted sheaves. If $\mathcal{X} \rightarrow X$ is a μ_n -gerbe with X a projective relative surface with smooth connected geometric fibers, it is shown that the stack of semistable \mathcal{X} -twisted sheaves is an Artin stack locally of finite presentation over S . This paper also develops the theory of associated points and purity of sheaves on Artin stacks.
- Lieblich, Osserman: *Functorial reconstruction theorem for stacks* [LO08]
Proves some surprising and interesting results on when an algebraic stack can be reconstructed from its associated functor.
- David Rydh: *Noetherian approximation of algebraic spaces and stacks* [Ryd08]
This paper shows that every quasi-compact algebraic stack with quasi-finite diagonal can be approximated by a noetherian stack. There are applications to removing the noetherian hypothesis in results of Chevalley, Serre, Zariski and Chow.

6. Stacks in other fields

03B5

- Behrend and Noohi: *Uniformization of Deligne-Mumford curves* [BN06]
Gives an overview and comparison of topological, analytic and algebraic stacks.
- Behrang Noohi: *Foundations of topological stacks I* [Noo05]
- David Metzler: *Topological and smooth stacks* [Met05]

7. Higher stacks

05BF

- Lurie: *Higher topos theory* [Lur09f]
- Lurie: *Derived Algebraic Geometry I - V* [Lur09a], [Lur09b], [Lur09c], [Lur09d], [Lur09e]
- Toën: *Higher and derived stacks: a global overview* [Toë09]
- Toën and Vezzosi: *Homotopical algebraic geometry I, II* [TV05], [TV08]

8. Other chapters

Preliminaries	(28) Morphisms of Schemes
(1) Introduction	(29) Cohomology of Schemes
(2) Conventions	(30) Divisors
(3) Set Theory	(31) Limits of Schemes
(4) Categories	(32) Varieties
(5) Topology	(33) Topologies on Schemes
(6) Sheaves on Spaces	(34) Descent
(7) Sites and Sheaves	(35) Derived Categories of Schemes
(8) Stacks	(36) More on Morphisms
(9) Fields	(37) More on Flatness
(10) Commutative Algebra	(38) Groupoid Schemes
(11) Brauer Groups	(39) More on Groupoid Schemes
(12) Homological Algebra	(40) Étale Morphisms of Schemes
(13) Derived Categories	Topics in Scheme Theory
(14) Simplicial Methods	(41) Chow Homology
(15) More on Algebra	(42) Intersection Theory
(16) Smoothing Ring Maps	(43) Picard Schemes of Curves
(17) Sheaves of Modules	(44) Adequate Modules
(18) Modules on Sites	(45) Dualizing Complexes
(19) Injectives	(46) Duality for Schemes
(20) Cohomology of Sheaves	(47) Discriminants and Differents
(21) Cohomology on Sites	(48) Local Cohomology
(22) Differential Graded Algebra	(49) Algebraic and Formal Geometry
(23) Divided Power Algebra	(50) Algebraic Curves
(24) Hypercoverings	(51) Resolution of Surfaces
Schemes	(52) Semistable Reduction
(25) Schemes	(53) Fundamental Groups of Schemes
(26) Constructions of Schemes	(54) Étale Cohomology
(27) Properties of Schemes	(55) Crystalline Cohomology
	(56) Pro-étale Cohomology

Algebraic Spaces	(84) The Cotangent Complex
(57) Algebraic Spaces	(85) Deformation Problems
(58) Properties of Algebraic Spaces	Algebraic Stacks
(59) Morphisms of Algebraic Spaces	(86) Algebraic Stacks
(60) Decent Algebraic Spaces	(87) Examples of Stacks
(61) Cohomology of Algebraic Spaces	(88) Sheaves on Algebraic Stacks
(62) Limits of Algebraic Spaces	(89) Criteria for Representability
(63) Divisors on Algebraic Spaces	(90) Artin's Axioms
(64) Algebraic Spaces over Fields	(91) Quot and Hilbert Spaces
(65) Topologies on Algebraic Spaces	(92) Properties of Algebraic Stacks
(66) Descent and Algebraic Spaces	(93) Morphisms of Algebraic Stacks
(67) Derived Categories of Spaces	(94) Limits of Algebraic Stacks
(68) More on Morphisms of Spaces	(95) Cohomology of Algebraic Stacks
(69) Flatness on Algebraic Spaces	(96) Derived Categories of Stacks
(70) Groupoids in Algebraic Spaces	(97) Introducing Algebraic Stacks
(71) More on Groupoids in Spaces	(98) More on Morphisms of Stacks
(72) Bootstrap	(99) The Geometry of Stacks
(73) Pushouts of Algebraic Spaces	Topics in Moduli Theory
Topics in Geometry	(100) Moduli Stacks
(74) Chow Groups of Spaces	(101) Moduli of Curves
(75) Quotients of Groupoids	Miscellany
(76) More on Cohomology of Spaces	(102) Examples
(77) Simplicial Spaces	(103) Exercises
(78) Duality for Spaces	(104) Guide to Literature
(79) Formal Algebraic Spaces	(105) Desirables
(80) Restricted Power Series	(106) Coding Style
(81) Resolution of Surfaces Revisited	(107) Obsolete
Deformation Theory	(108) GNU Free Documentation License
(82) Formal Deformation Theory	(109) Auto Generated Index
(83) Deformation Theory	

References

- [ACV03] Dan Abramovich, Alessio Corti, and Angelo Vistoli, *Twisted bundles and admissible covers*, Communications in Algebra **31** (2003), no. 8, 3547–3618, Special issue in honor of Steven L. Kleiman.
- [AGV71] Michael Artin, Alexander Grothendieck, and Jean-Louis Verdier, *Theorie de topos et cohomologie étale des schémas I, II, III*, Lecture Notes in Mathematics, vol. 269, 270, 305, Springer, 1971.
- [AGV08] Dan Abramovich, Tom Graber, and Angelo Vistoli, *Gromov-Witten theory of Deligne-Mumford stacks*, American Journal of Mathematics **130** (2008), no. 5, 1337–1398.
- [AK10] Valery Alexeev and Allen Knutson, *Complete moduli spaces of branchvarieties*, Journal für die reine und angewandte Mathematik **639** (2010).
- [Alp08] Jarod Alper, *Good moduli spaces for Artin stacks*, 2008.
- [Alp10] ———, *On the local quotient structure of Artin stacks*, Journal of Pure and Applied Algebra **214** (2010), no. 9, 1576–1591.
- [AOV08] Dan Abramovich, Martin Christian Olsson, and Angelo Vistoli, *Tame stacks in positive characteristic*, Annales de l'Institut Fourier **58** (2008), no. 4, 1057–1091.
- [Art69a] Michael Artin, *Algebraic approximation of structures over complete local rings*, Inst. Hautes Études Sci. Publ. Math. (1969), no. 36, 23–58.

- [Art69b] ———, *Algebraization of formal moduli: I*, Global Analysis (Papers in Honor of K. Kodaira), Univ. Tokyo Press, Tokyo, 1969, pp. 21–71.
- [Art69c] ———, *The implicit function theorem in algebraic geometry*, Algebraic Geometry (Internat. Colloq., Tata Inst. Fund. Res., Bombay, 1968), Oxford Univ. Press, London, 1969, pp. 13–34.
- [Art70] ———, *Algebraization of formal moduli: II – existence of modifications*, Annals of Mathematics **91** (1970), 88–135.
- [Art71a] ———, *Algebraic spaces*, Yale University Press, New Haven, Conn., 1971, A James K. Whittemore Lecture in Mathematics given at Yale University, 1969, Yale Mathematical Monographs, 3.
- [Art71b] ———, *Construction techniques for algebraic spaces*, Actes du Congrès International des Mathématiciens (Nice, 1970), Tome 1, Gauthier-Villars, Paris, 1971, pp. 419–423.
- [Art73] ———, *Théorèmes de représentabilité pour les espaces algébriques*, Les Presses de l’Université de Montréal, Montreal, Que., 1973, En collaboration avec Alexandru Lascu et Jean-François Boutot, Séminaire de Mathématiques Supérieures, No. 44 (Été, 1970).
- [Art74] ———, *Versal deformations and algebraic stacks*, Inventiones Mathematicae **27** (1974), 165–189.
- [Aut] The Stacks Project Authors, *Stacks project*.
- [AV02] Dan Abramovich and Angelo Vistoli, *Compactifying the space of stable maps*, Journal of the American Mathematical Society **15** (2002), no. 1, 27–75.
- [BCE+07] Kai Behrend, Brian Conrad, Dan Edidin, Barbara Fantechi, William Fulton, Lothar Göttsche, and Andrew Kresch, *Algebraic stacks*, 2007.
- [BCS05] Lev A. Borisov, Linda Chen, and Gregory George Smith, *The orbifold Chow ring of toric Deligne-Mumford stacks*, J. Amer. Math. Soc. **18** (2005), no. 1, 193–215.
- [Beh03] Kai A. Behrend, *Derived l -adic categories for algebraic stacks*, Mem. Amer. Math. Soc. **163** (2003), no. 774, viii+93.
- [Beh04] Kai Behrend, *Cohomology of stacks*, Intersection theory and moduli, ICTP Lect. Notes, XIX, Abdus Salam Int. Cent. Theoret. Phys., Trieste, 2004, pp. 249–294.
- [BF97] Kai Behrend and Barbara Fantechi, *The intrinsic normal cone*, Invent. Math. **128** (1997), no. 1, 45–88.
- [BN06] Kai Behrend and Behrang Noohi, *Uniformization of Deligne-Mumford curves*, J. Reine Angew. Math. **599** (2006), 111–153.
- [Cad07] Charles Cadman, *Using stacks to impose tangency conditions on curves*, Amer. J. Math. **129** (2007), no. 2, 405–427.
- [CdJ02] Brian Conrad and Aise Johan de Jong, *Approximation of versal deformations*, J. Algebra **255** (2002), no. 2, 489–515.
- [Con05a] Brian Conrad, *Formal gaga for artin stacks*.
- [Con05b] ———, *Keel-mori theorem via stacks*.
- [DG67] Jean Dieudonné and Alexander Grothendieck, *Éléments de géométrie algébrique*, Inst. Hautes Études Sci. Publ. Math. **4**, **8**, **11**, **17**, **20**, **24**, **28**, **32** (1961–1967).
- [DM69] Pierre Deligne and David Mumford, *The irreducibility of the space of curves of given genus*, Publ. Math. IHES **36** (1969), 75–110.
- [Edi00] Dan Edidin, *Notes on the construction of the moduli space of curves*, Recent progress in intersection theory (Bologna, 1997), Trends Math., Birkhäuser Boston, Boston, MA, 2000, pp. 85–113.
- [Edi03] ———, *What is a stack?*, Notices Amer. Math. Soc. **50** (2003), no. 4, 458–459.
- [EG98] Dan Edidin and William Graham, *Equivariant intersection theory*, Invent. Math. **131** (1998), no. 3, 595–634.
- [EHKV01] Dan Edidin, Brendan Hassett, Andrew Kresch, and Angelo Vistoli, *Brauer groups and quotient stacks*, Amer. J. Math. **123** (2001), no. 4, 761–777.
- [Fal03] Gerd Faltings, *Finiteness of coherent cohomology for proper fppf stacks*, J. Algebraic Geom. **12** (2003), no. 2, 357–366.
- [Fan01] Barbara Fantechi, *Stacks for everybody*, European Congress of Mathematics, Vol. I (Barcelona, 2000), Progr. Math., vol. 201, Birkhäuser, Basel, 2001, pp. 349–359.
- [FMN07] Barbara Fantechi, Etienne Mann, and Fabio Nironi, *Smooth toric dm stacks*, math.AG/0708.1254 (2007).
- [Gir65] Jean Giraud, *Cohomologie non abélienne*, C. R. Acad. Sci. Paris **260** (1965), 2666–2668.

- [GS11a] Anton Geraschenko and Matthew Satriano, *Toric stacks I: The theory of stacky fans*.
- [GS11b] ———, *Toric stacks II: Intrinsic characterization of toric stacks*.
- [HLP14] Daniel Halpern-Leistner and Anatoly Preygel, *Mapping stacks and categorical notions of properness*, 2014.
- [Iwa07] Isamu Iwanari, *Integral chow rings of toric stacks*, math.AG/0705.3524 (2007).
- [Iwa09] ———, *The category of toric stacks*, Compos. Math. **145** (2009), no. 3, 718–746.
- [KM97] Sean Keel and Shigefumi Mori, *Quotients by groupoids*, Ann. of Math. (2) **145** (1997), 193–213.
- [Knu71] Donald Knutson, *Algebraic spaces*, Lecture Notes in Mathematics, vol. 203, Springer-Verlag, 1971.
- [Kre99] Andrew Kresch, *Cycle groups for Artin stacks*, Invent. Math. **138** (1999), no. 3, 495–536.
- [Kre09] ———, *On the geometry of Deligne-Mumford stacks*, Algebraic geometry—Seattle 2005. Part 1, Proc. Sympos. Pure Math., vol. 80, Amer. Math. Soc., Providence, RI, 2009, pp. 259–271.
- [KS74] Gregory Maxwell Kelly and Ross Street, *Review of the elements of 2-categories*, Category Seminar (Proc. Sem., Sydney, 1972/1973), Springer, Berlin, 1974, pp. 75–103.
- [KV04] Andrew Kresch and Angelo Vistoli, *On coverings of Deligne-Mumford stacks and surjectivity of the Brauer map*, Bull. London Math. Soc. **36** (2004), no. 2, 188–192.
- [Lie06] Max Lieblich, *Remarks on the stack of coherent algebras*, Int. Math. Res. Not. (2006).
- [Lie07] ———, *Moduli of twisted sheaves*, Duke Math. J. **138** (2007), no. 1, 23–118.
- [LMB00] Gérard Laumon and Laurent Moret-Bailly, *Champs algébriques*, Ergebnisse der Mathematik und ihrer Grenzgebiete. 3. Folge., vol. 39, Springer-Verlag, 2000.
- [LO08] Max Lieblich and Brian Osserman, *Functorial reconstruction theorem for stacks*, math.AG/0807.4562 (2008).
- [LS08] Christian Lundkvist and Roy Skjelnes, *Non-effective deformations of Grothendieck’s Hilbert functor*, Math. Z. **258** (2008), no. 3, 513–519.
- [Lur09a] Jacob Lurie, *Derived algebraic geometry I: Stable infinity categories*.
- [Lur09b] ———, *Derived algebraic geometry II: Noncommutative algebra*.
- [Lur09c] ———, *Derived algebraic geometry III: Commutative algebra*.
- [Lur09d] ———, *Derived algebraic geometry IV: Deformation theory*.
- [Lur09e] ———, *Derived algebraic geometry V: Structured spaces*.
- [Lur09f] ———, *Higher topos theory*, Annals of Mathematics Studies, vol. 170, Princeton University Press, Princeton, NJ, 2009.
- [Met05] David Metzler, *Topological and smooth stacks*, math.DG/0306176 (2005).
- [Mum65] David Mumford, *Picard groups of moduli problems*, Arithmetical Algebraic Geometry (Proc. Conf. Purdue Univ., 1963), Harper & Row, New York, 1965, pp. 33–81.
- [Noo05] Behrang Noohi, *Foundations of topological stacks I*, math.AG/0503247v1 (2005).
- [Ols05] Martin Christian Olsson, *On proper coverings of Artin stacks*, Adv. Math. **198** (2005), no. 1, 93–106.
- [Ols06a] ———, *Deformation theory of representable morphisms of algebraic stacks*, Math. Z. **253** (2006), no. 1, 25–62.
- [Ols06b] ———, *Hom-stacks and restriction of scalars*, Duke Math. J. **134** (2006), no. 1, 139–164.
- [Ols07a] ———, *Course notes for Math 274: Stacks, taken by Anton Geraschenko*.
- [Ols07b] ———, *Sheaves on Artin stacks*, J. Reine Angew. Math. **603** (2007), 55–112.
- [Ols16] Martin Olsson, *Algebraic spaces and stacks*, American Mathematical Society Colloquium Publications, vol. 62, American Mathematical Society, Providence, RI, 2016.
- [OS03] Martin Christian Olsson and Jason Starr, *Quot functors for Deligne-Mumford stacks*, Comm. Algebra **31** (2003), no. 8, 4069–4096, Special issue in honor of Steven L. Kleiman.
- [Per08] Fabio Perroni, *A note on toric Deligne-Mumford stacks*, Tohoku Math. J. (2) **60** (2008), no. 3, 441–458.
- [Rom03] Matthieu Romagny, *A note on group actions on algebraic stacks*, math.AG/0305243 (2003).
- [Rom05] ———, *Group actions on stacks and applications*, Michigan Math. J. **53** (2005), no. 1, 209–236.

- [Ryd07] David Rydh, *Existence of quotients by finite groups and coarse moduli spaces*, math.AG/0708.3333 (2007).
- [Ryd08] ———, *Noetherian approximation of algebraic spaces and stacks*, math.AG/0904.0227 (2008).
- [Sch68] Michael Schlessinger, *Functors of Artin rings*, Trans. Amer. Math. Soc. **130** (1968), 208–222.
- [Ses72] Conjeevaram Srirangachari Seshadri, *Quotient spaces modulo reductive algebraic groups*, Ann. of Math. (2) **95** (1972), 511–556.
- [Sta06] Jason Starr, *Artin’s axioms, composition and moduli spaces*, math.AG/0602646 (2006).
- [Toë09] Bertrand Toën, *Higher and derived stacks: a global overview*, Algebraic geometry—Seattle 2005. Part I, Proc. Sympos. Pure Math., vol. 80, Amer. Math. Soc., Providence, RI, 2009, pp. 435–487.
- [Tot04] Burt Totaro, *The resolution property for schemes and stacks*, J. Reine Angew. Math. **577** (2004), 1–22.
- [TV05] Bertrand Toën and Gabriele Vezzosi, *Homotopical algebraic geometry. I. Topos theory*, Adv. Math. **193** (2005), no. 2, 257–372.
- [TV08] ———, *Homotopical algebraic geometry. II. Geometric stacks and applications*, Mem. Amer. Math. Soc. **193** (2008), no. 902, x+224.
- [Vis89] Angelo Vistoli, *Intersection theory on algebraic stacks and on their moduli spaces*, Invent. Math. **97** (1989), no. 3, 613–670.
- [Vis91] ———, *The Hilbert stack and the theory of moduli of families*, Geometry Seminars, 1988–1991 (Italian) (Bologna, 1988–1991), Univ. Stud. Bologna, Bologna, 1991, pp. 175–181.
- [Vis05] ———, *Grothendieck topologies, fibered categories and descent theory*, Fundamental algebraic geometry, Math. Surveys Monogr., vol. 123, Amer. Math. Soc., Providence, RI, 2005, pp. 1–104.